


Amendments to the Claims

The listing of claims will replace all prior versions, and listings of claims in the application.

1-5. (Canceled)


6. (Currently amended) A synergistically effective active compound combination, comprising:

(1) a compound of formula (I)



(trifloxystrobin)


(2) a compound of formula (II)



(prothioconazole)

and


(3) a compound of formula (III)




(tebuconazole),

wherein the weight ratio of the compound of formula (I) to the compound of formula (II) is from 1:0.1 to 1:10 and the weight ratio of the compound of formula (I) to the compound of formula (III) is from 1:0.1 to 1:10.


7. (Previously presented) The active compound combination of Claim 6 in which the weight ratio of the compound of formula (I) to the compound of formula (II) is from 1:0.2 to 1:5 and the weight ratio of the compound of formula (I) to the compound of formula (III) is from 1:0.2 to 1:5.
8. (Previously presented) A method for controlling fungi comprising allowing an effective amount of an active compound combination according to Claim 6 to act on the fungi and/or their habitat.
9. (Previously presented) A process for preparing fungicidal compositions comprising mixing one or more active compound combinations according to Claim 6 with one or more extenders, surfactants or a combination of one or more extenders and surfactants.
10. (Previously presented) The active compound combination of Claim 6, wherein the weight ratio of the compound of formula (I) to the compound of formula (II) is 1:0.85 and the weight ratio of the compound of formula (I) to the compound of formula (III) is 1:1.
11. (Previously presented) The method of claim 8, wherein said fungi are *Pyrenophora* or *Fusarium*.
12. (New) A synergistically effective composition consisting essentially of a compound of formula (I)



a compound of formula (II)



and a compound of formula (III)



and optionally one or more extenders, surfactants or a combination thereof, wherein the weight ratio of the compound of formula (I) to the compound of formula (II) is from 1:0.1 to 1:10 and the weight ratio of the compound of formula (I) to the compound of formula (III) is from 1:0.1 to 1:10.

13. (New) The composition according to Claim 12, wherein the weight ratio of the compound of formula (I) to the compound of formula (II) is from 1:0.2 to 1:5 and the weight ratio of the compound of formula (I) to the compound of formula (III) is from 1:0.2 to 1:5.

14. (New) The composition according to Claim 12, wherein the weight ratio of the compound of formula (I) to the compound of formula (II) is 1:0.85 and the weight ratio of the compound of formula (I) to the compound of formula (III) is 1:1.

15. (New) A method for controlling fungi comprising contacting the fungi and/or their habitat with the composition according to Claim 12.

16. (New) A method for controlling fungi comprising contacting the fungi and/or their habitat with the composition according to Claim 13.

17. (New) A method for controlling fungi comprising contacting the fungi and/or their habitat with the composition according to Claim 14.
18. (New) The method according to claim 15, wherein said fungi are Pyrenophora or Fusarium.
19. (New) The method according to claim 16, wherein said fungi are Pyrenophora or Fusarium.
20. (New) The method according to claim 17, wherein said fungi are Pyrenophora or Fusarium.